

# TCEQ Interoffice Memorandum

---

**To:** Tony Walker  
Director, TCEQ Region 4, Dallas/Fort Worth  
Alyssa Taylor  
Special Assistant to the Regional Director, TCEQ Region 4, Dallas/Fort Worth

**From:** Jessica Myers, Ph.D. *JM*  
Toxicology Division, Office of the Executive Director

**Date:** July 16, 2015

**Subject:** Toxicological Evaluation of Results from an Ambient Air Sample for Volatile Organic Compounds Collected Downwind of the Vantage - Long Term 1 site (Latitude 33.233115, Longitude -97.243926) in Denton, Denton County, Texas

Sample Collected on June 10, 2015, Request Number 1506014 (Lab Sample 1506014-001)

---

## Key Points

- Reported concentrations of target volatile organic compounds (VOCs) were either not detected or were detected below levels of short-term health and/or welfare concern.

## Background

On June 10, 2015, a Texas Commission on Environmental Quality (TCEQ) Region 4 air investigator collected a 30-minute canister sample (Lab Sample 1506014-001) downwind of the Vantage - Long Term 1 site in Denton, Denton County, Texas (Latitude 33.233115, Longitude -97.243926). The investigator experienced a light to moderate exhaust odor but no health effects while sampling. Meteorological conditions measured at the site or nearest stationary ambient air monitoring site indicated that the ambient temperature was 100.1°F with a relative humidity of 40%, and winds were from the southeast (140°) at 1.8 to 4.6 miles per hour. The sampling site and the nearest location where the public could have access were between 301 and 500 feet from the possible emission source (fracking). The sample was sent to the TCEQ laboratory in Austin, Texas, and analyzed for a range of VOCs. The list of the target analytes that were evaluated in this review is provided in Attachment A. The VOC concentrations were reported in parts per billion by volume (ppbv) (Attachment B and Table 1). Please note that the available canister technology and analysis method cannot capture and/or analyze for all chemicals.

## Results and Evaluation

Reported VOC concentrations were compared to TCEQ's short-term health- and/or welfare-based air monitoring comparison values (AMCVs) (Table 1). Short-term AMCVs are guidelines used to evaluate ambient concentrations of a chemical in air and to determine its potential to result in adverse health effects, adverse vegetative effects, or odors. Health AMCVs are set to provide a margin of safety and are set well below levels at which adverse health effects are reported in the scientific literature. If a chemical concentration in ambient air is less than its comparison value, no adverse health effects are expected to occur. If a chemical concentration exceeds its comparison value it does not necessarily mean that adverse effects will occur, but rather that further evaluation is warranted.

All of the 84 VOCs were either not detected or were detected below their respective short-term AMCVs. Exposure to levels of VOCs measured in this sample would not be expected to cause short-term adverse health effects, adverse vegetative effects, or odors.

Please call me at (512) 239-3444 if you have any questions regarding this evaluation.

**Attachment A****List of Target Analytes for Canister Samples**

ethane	4-methyl-1-pentene	t-1,3-dichloropropylene
ethylene	1,1-dichloroethane	1,1,2-trichloroethane
acetylene	cyclopentane	2,3,4-trimethylpentane
propane	2,3-dimethylbutane	toluene
propylene	2-methylpentane	2-methylheptane
dichlorodifluoromethane	3-methylpentane	3-methylheptane
methyl chloride	2-methyl-1-pentene + 1-hexene	1,2-dibromoethane
isobutane	n-hexane	n-octane
vinyl chloride	chloroform	tetrachloroethylene
1-butene	t-2-hexene	chlorobenzene
1,3-butadiene	c-2-hexene	ethylbenzene
n-butane	1,2-dichloroethane	m & p-xylene
t-2-butene	methylcyclopentane	styrene
bromomethane	2,4-dimethylpentane	1,1,2,2-tetrachloroethane
c-2-butene	1,1,1-trichloroethane	o-xylene
3-methyl-1-butene	benzene	n-nonane
isopentane	carbon tetrachloride	isopropylbenzene
trichlorofluoromethane	cyclohexane	n-propylbenzene
1-pentene	2-methylhexane	m-ethyltoluene
n-pentane	2,3-dimethylpentane	p-ethyltoluene
isoprene	3-methylhexane	1,3,5-trimethylbenzene
t-2-pentene	1,2-dichloropropane	o-ethyltoluene
1,1-dichloroethylene	trichloroethylene	1,2,4-trimethylbenzene
c-2-pentene	2,2,4-trimethylpentane	n-decane
methylene chloride	2-chloropentane	1,2,3-trimethylbenzene
2-methyl-2-butene	n-heptane	m-diethylbenzene
2,2-dimethylbutane	c-1,3-dichloropropylene	p-diethylbenzene
cyclopentene	methylcyclohexane	n-undecane

Tony Walker et al.  
Page 4  
July 16, 2015

## Attachment B

6/22/2015

### Texas Commission on Environmental Quality

Laboratory and Quality Assurance Section  
P.O. Box 13087, MC-165  
Austin, Texas 78711-3087  
(512) 239-1716

### Laboratory Analysis Results

Request Number: 1506014

Request Lead: Frank Martinez

Region: T04

Date Received: 6/15/2015

Project(s): Barnett Shale

Facility(ies) Sampled	City	County	Facility Type
Vantage Fort Worth Energy LLC, Long Term 1	Denton	Denton	

Sample(s) Received

Field ID Number: 00278-061015

Laboratory Sample Number: 1506014-001

Sampled by: Rachel Jackson

Sampling Site:

Date & Time Sampled: 06/10/15 14:06:00 Valid Sample: Yes

Comments: Canister 00278 was used to collect a 30-minute downwind sample using OFC-233.

Requested Laboratory Procedure(s):

Analysis: AP001VOC

Determination of VOC Canisters by GC/MS Using Modified Method TO-15

Please note that this analytical technique is not capable of measuring all compounds which might have adverse health effects. For questions on the analytical procedures please contact the laboratory manager at (512) 239-1716. For an update on the health effects evaluation of these data, please contact the Toxicology Division at (512) 239-1795.

Analyst: Aaron Bluhm  
Aaron Bluhm

Date: 6/22/15

Laboratory Manager: Frank Martinez  
Frank Martinez

Date: 6/22/15

**Laboratory Analysis Results**

**Request Number: 1506014**

**Analysis Code: AP001VOC**

Note: Results are reported in units of ppbv

Lab ID	1506014-001									
Field ID	00278-061015									
Canister ID	00278									
Compound	Cone.	SDL	SQL	Analysis Date	Flags**	Cone.	SDL	SQL	Analysis Date	Flags**
ethane	6.0	1.0	2.4	6/19/2015	T,DI					
ethylene	ND	1.0	2.4	6/19/2015	T,DI					
acetylene	ND	1.0	2.4	6/19/2015	T,DI					
propane	2.0	1.0	2.4	6/19/2015	L,T,DI					
propylene	ND	1.0	2.4	6/19/2015	T,DI					
dichlorodifluoromethane	0.48	0.40	1.2	6/19/2015	L,DI					
methyl chloride	0.61	0.40	1.2	6/19/2015	L,DI					
isobutane	0.23	0.46	2.4	6/19/2015	J,DI					
vinyl chloride	ND	0.34	1.2	6/19/2015	DI					
1-butene	0.18	0.40	1.2	6/19/2015	J,DI					
1,3-butadiene	ND	0.54	1.2	6/19/2015	DI					
n-butane	0.49	0.40	2.4	6/19/2015	L,DI					
t-2-butene	0.01	0.36	1.2	6/19/2015	J,DI					
hexafluorethane	0.01	0.54	1.2	6/19/2015	J,DI					
o-2-butene	ND	0.54	1.2	6/19/2015	DI					
3-methyl-1-butene	0.01	0.46	1.2	6/19/2015	J,DI					
isopentane	0.39	0.54	4.8	6/19/2015	J,DI					
trichlorofluoromethane	0.27	0.58	1.2	6/19/2015	J,DI					
1-pentene	ND	0.54	1.2	6/19/2015	DI					
n-pentane	0.14	0.54	4.8	6/19/2015	J,DI					
isoprene	0.22	0.54	1.2	6/19/2015	J,DI					
t-2-pentene	ND	0.54	2.4	6/19/2015	DI					
1,1-dichloroethylene	ND	0.36	1.2	6/19/2015	DI					
e-2-pentene	ND	0.50	2.4	6/19/2015	DI					
methylene chloride	0.05	0.28	1.2	6/19/2015	J,DI					
2-methyl-2-butene	ND	0.46	1.2	6/19/2015	DI					
2,2-dimethylbutane	ND	0.42	1.2	6/19/2015	DI					
cyclopentane	ND	0.40	1.2	6/19/2015	DI					
4-methyl-1-pentene	ND	0.44	2.4	6/19/2015	DI					
1,1-dichloroethane	ND	0.38	1.2	6/19/2015	DI					
cyclopentane	ND	0.54	1.2	6/19/2015	DI					
2,3-dimethylbutane	0.03	0.56	2.4	6/19/2015	J,DI					
2-methylpentane	0.11	0.54	1.2	6/19/2015	J,DI					
3-methylpentane	0.08	0.46	1.2	6/19/2015	J,DI					
2-methyl-1-pentene + 1-hexene	ND	0.40	4.8	6/19/2015	DI					
n-hexane	ND	0.40	2.4	6/19/2015	DI					
chloroform	0.01	0.42	1.2	6/19/2015	J,DI					
t-2-hexene	ND	0.54	2.4	6/19/2015	DI					
o-2-hexene	ND	0.54	2.4	6/19/2015	DI					
1,2-dichloroethane	ND	0.54	1.2	6/19/2015	DI					
methylcyclopentane	0.04	0.54	2.4	6/19/2015	J,DI					
2,4-dimethylpentane	ND	0.54	2.4	6/19/2015	DI					
1,1,1-trichloromethane	ND	0.52	1.2	6/19/2015	DI					
benzene	ND	0.54	1.2	6/19/2015	DI					
carbon tetrachloride	0.11	0.54	1.2	6/19/2015	J,DI					
cyclohexane	ND	0.48	1.2	6/19/2015	DI					
2-methylhexane	ND	0.54	1.2	6/19/2015	DI					
2,3-dimethylpentane	ND	0.52	1.2	6/19/2015	DI					

**Laboratory Analysis Results**

Request Number: 1506014

Analysis Code: AP001VOC

Note: Results are reported in units of ppbv

Lab ID	1506014-001					Conc.	SDL	SQL	Analysis Date	Flags**
	Compound	Conc.	SDL	SQL	Analysis Date					
3-methylhexane	ND	0.40	1.2	6/19/2015	D1					
1,2-dichloropropane	ND	0.34	1.2	6/19/2015	D1					
trichloroethylene	ND	0.58	1.2	6/19/2015	D1					
2,2,4-trimethylpentane	0.09	0.48	1.2	6/19/2015	J,D1					
2-chloropropane	ND	0.54	1.2	6/19/2015	D1					
n-heptane	0.04	0.50	2.4	6/19/2015	J,D1					
o-1,3-dichloropropylene	ND	0.40	1.2	6/19/2015	D1					
methylcyclohexane	0.02	0.32	2.4	6/19/2015	J,D1					
t-1,3-dichloropropylene	ND	0.40	1.2	6/19/2015	D1					
1,1,2-trichloroethane	ND	0.43	1.2	6/19/2015	D1					
2,3,4-trimethylpentane	0.03	0.48	2.4	6/19/2015	J,D1					
toluene	0.09	0.54	1.2	6/19/2015	J,D1					
2-methylheptane	0.01	0.40	2.4	6/19/2015	J,D1					
3-methylheptane	ND	0.46	2.4	6/19/2015	D1					
1,2-dibromoethane	ND	0.40	1.2	6/19/2015	D1					
n-octane	0.03	0.58	2.4	6/19/2015	J,D1					
tetrachloromethylene	ND	0.48	1.2	6/19/2015	D1					
chlorobenzene	ND	0.54	1.2	6/19/2015	D1					
ethylbenzene	ND	0.54	2.4	6/19/2015	D1					
m & p-xylene	0.05	0.54	4.8	6/19/2015	J,D1					
styrene	ND	0.54	2.4	6/19/2015	D1					
1,1,2,2-tetrachloroethane	ND	0.40	1.2	6/19/2015	D1					
o-xylene	ND	0.54	2.4	6/19/2015	D1					
n-nonane	ND	0.44	1.2	6/19/2015	D1					
isopropylbenzene	ND	0.48	1.2	6/19/2015	D1					
n-propylbenzene	ND	0.54	1.2	6/19/2015	D1					
m-ethyltoluene	ND	0.22	1.2	6/19/2015	D1					
p-ethyltoluene	ND	0.32	2.4	6/19/2015	D1					
1,3,5-trimethylbenzene	ND	0.50	2.4	6/19/2015	D1					
o-ethyltoluene	ND	0.26	2.4	6/19/2015	D1					
1,2,4-trimethylbenzene	ND	0.54	1.2	6/19/2015	D1					
n-decane	ND	0.54	2.4	6/19/2015	D1					
1,2,3-trimethylbenzene	ND	0.54	1.2	6/19/2015	D1					
m-diethylbenzene	ND	0.54	2.4	6/19/2015	D1					
p-diethylbenzene	ND	0.54	1.2	6/19/2015	D1					
n-undecane	ND	0.54	2.4	6/19/2015	D1					

**Laboratory Analysis Results**

**Request Number: 1506014**

**Analysis Code: AP001VOC**

**Qualifier Notes:**

ND - not detected  
NQ - concentration can not be quantified due to possible interferences or conditions.  
SDL - Sample Detection Limit (Limit of Detection adjusted for dilutions).  
SQL - Sample Quantitation Limit (Limit of Quantification adjusted for dilution).  
INV - Invalid.  
J - Reported concentration is below SDL.  
L - Reported concentration is at or above the SDL and is below the lower limit of quantitation.  
E - Reported concentration exceeds the upper limit of instrument calibration.  
M - Result modified from previous result.  
T - Data was not confirmed by a confirmational analysis. Compound and/or results is tentatively identified.  
F - Established acceptance criteria was not met due to factors outside the laboratory's control.  
H - Not all associated hold time specifications were met. Data may be biased.  
C - Sample received with a missing or broken custody seal.  
R - Sample received with a missing or incomplete chain of custody.  
I - Sample received without a legible unique identifier.  
G - Sample received in an improper container.  
U - Sample received with insufficient sample volume.  
W - Sample received with insufficient preservation.

Quality control notes for AP001VOC samples.

D1-Sample concentration was calculated using a dilution factor of 4.

TCEQ laboratory customer support may be reached at [Frank.Martinez@tceq.texas.gov](mailto:Frank.Martinez@tceq.texas.gov)

The TCEQ is an equal-opportunity/affirmative action employer. The agency does not allow discrimination on the basis of race, color, religion, national origin, sex, disability, age, sexual orientation or veteran status. In compliance with the Americans With Disabilities Act, this document may be requested in alternate formats by contacting the TCEQ at (512) 239-0010, (Fax 512-239-0055), or 1-800-RELAY-TX (TDD), or by writing P.O. Box 13087, Austin, Texas 78711-3087.

**Table 1. Comparison of Monitored Concentrations in Lab Sample 1506014-001 to TCEQ Short-Term AMCVs**

Lab Sample ID	1506014-001					
Compound	Odor AMCV (ppb <sub>v</sub> )	Short-Term Health AMCV (ppb <sub>v</sub> )	SQL (ppb <sub>v</sub> )	Concentrations (ppb <sub>v</sub> )	Flags	SDL (ppb <sub>v</sub> )
1,1,1-Trichloroethane	380,000	1,700	1.2	ND	D1	0.52
1,1,2,2-Tetrachloroethane	7,300	10	1.2	ND	D1	0.4
1,1,2-Trichloroethane	Not Available	100	1.2	ND	D1	0.42
1,1-Dichloroethane	Not Available	1,000	1.2	ND	D1	0.38
1,1-Dichloroethylene	Not Available	180	1.2	ND	D1	0.36
1,2,3-Trimethylbenzene	Not Available	250	1.2	ND	D1	0.54
1,2,4-Trimethylbenzene	140	250	1.2	ND	D1	0.54
1,2-Dibromoethane	Not Available	0.5	1.2	ND	D1	0.4
1,2-Dichloroethane	6,000	40	1.2	ND	D1	0.54
1,2-Dichloropropane	250	100	1.2	ND	D1	0.34
1,3,5-Trimethylbenzene	Not Available	250	2.4	ND	D1	0.5
1,3-Butadiene	230	1,700	1.2	ND	D1	0.54
1-Butene	360	27,000	1.2	0.18	J,D1	0.4
1-Pentene	100	2,600	1.2	ND	D1	0.54
2,2,4-Trimethylpentane	670	750	1.2	0.09	J,D1	0.48
2,2-Dimethylbutane (Neohexane)	Not Available	1,000	1.2	ND	D1	0.42
2,3,4-Trimethylpentane	Not Available	750	2.4	0.03	J,D1	0.48
2,3-Dimethylbutane	420	990	2.4	0.03	J,D1	0.56
2,3-Dimethylpentane	4,500	850	1.2	ND	D1	0.52
2,4-Dimethylpentane	940	850	2.4	ND	D1	0.54
2-Chloropentane (as chloroethane)	Not Available	240	1.2	ND	D1	0.54
2-Methyl-1-Pentene +1-Hexene	140	500	4.8	ND	D1	0.4
2-Methyl-2-Butene	Not Available	2,600	1.2	ND	D1	0.46
2-Methylheptane	110	750	2.4	0.01	J,D1	0.4
2-Methylhexane	420	750	1.2	ND	D1	0.54

Lab Sample ID	1506014-001					
Compound	Odor AMCV (ppb <sub>v</sub> )	Short-Term Health AMCV (ppb <sub>v</sub> )	SQL (ppb <sub>v</sub> )	Concentrations (ppb <sub>v</sub> )	Flags	SDL (ppb <sub>v</sub> )
2-Methylpentane (Isohexane)	7,000	850	1.2	0.11	J,D1	0.54
3-Methyl-1-Butene	250	8,000	1.2	0.01	J,D1	0.46
3-Methylheptane	1,500	750	2.4	ND	D1	0.46
3-Methylhexane	840	750	1.2	ND	D1	0.4
3-Methylpentane	8,900	1,000	1.2	0.08	J,D1	0.46
4-Methyl-1-Pentene (as hexene)	140	500	2.4	ND	D1	0.44
Acetylene	Not Available	25,000	2.4	ND	T,D1	1
Benzene	2,700	180	1.2	ND	D1	0.54
Bromomethane (methyl bromide)	Not Available	30	1.2	0.01	J,D1	0.54
c-1,3-Dichloropropylene	Not Available	10	1.2	ND	D1	0.4
c-2-Butene	2,100	15,000	1.2	ND	D1	0.54
c-2-Hexene	140	500	2.4	ND	D1	0.54
c-2-Pentene	Not Available	2,600	2.4	ND	D1	0.5
Carbon Tetrachloride	4,600	20	1.2	0.11	J,D1	0.54
Chlorobenzene (phenyl chloride)	1,300	100	1.2	ND	D1	0.54
Chloroform (trichloromethane)	3,800	20	1.2	0.01	J,D1	0.42
Cyclohexane	2,500	1,000	1.2	ND	D1	0.48
Cyclopentane	Not Available	1,200	1.2	ND	D1	0.54
Cyclopentene	Not Available	2,900	1.2	ND	D1	0.4
Dichlorodifluoromethane	Not Available	10,000	1.2	0.48	L,D1	0.4
Ethane	Not Available	Simple Asphyxiant*	2.4	6	T,D1	1
Ethylbenzene	170	20,000	2.4	ND	D1	0.54
Ethylene	270,000	500,000	2.4	ND	T,D1	1
Isobutane	Not Available	33,000	2.4	0.23	J,D1	0.46
Isopentane (2-methylbutane)	1,300	68,000	4.8	0.39	J,D1	0.54
Isoprene	48	20	1.2	0.22	J,D1	0.54

Lab Sample ID	1506014-001					
Compound	Odor AMCV (ppb <sub>v</sub> )	Short-Term Health AMCV (ppb <sub>v</sub> )	SQL (ppb <sub>v</sub> )	Concentrations (ppb <sub>v</sub> )	Flags	SDL (ppb <sub>v</sub> )
Isopropylbenzene (cumene)	48	500	1.2	ND	D1	0.48
m & p-Xylene (as mixed isomers)	80	1,700	4.8	0.05	J,D1	0.54
m-Diethylbenzene	70	460	2.4	ND	D1	0.54
Methyl Chloride (chloromethane)	Not Available	500	1.2	0.61	L,D1	0.4
Methylcyclohexane	150	4,000	2.4	0.02	J,D1	0.52
Methylcyclopentane	1,700	750	2.4	0.04	J,D1	0.54
Methylene Chloride (dichloromethane)	160,000	3,500	1.2	0.05	J,D1	0.28
m-Ethyltoluene	18	250	1.2	ND	D1	0.22
n-Butane	1,200,000	92,000	2.4	0.49	L,D1	0.4
n-Decane	620	1,750	2.4	ND	D1	0.54
n-Heptane	670	850	2.4	0.04	J,D1	0.5
n-Hexane	1,500	1,800	2.4	ND	D1	0.4
n-Nonane	Not Available	2,000	1.2	ND	D1	0.44
n-Octane	1,700	750	2.4	0.03	J,D1	0.38
n-Pentane	1,400	68,000	4.8	0.14	J,D1	0.54
n-Propylbenzene	48	500	1.2	ND	D1	0.54
n-Undecane	870	550	2.4	ND	D1	0.54
o-Ethyltoluene	74	250	2.4	ND	D1	0.26
o-Xylene	380	1,700	2.4	ND	D1	0.54
p-Diethylbenzene	70	460	1.2	ND	D1	0.54
p-Ethyltoluene	8.1	250	2.4	ND	D1	0.32
Propane	1,500,000	Simple Asphyxiant*	2.4	2	L,T,D1	1
Propylene	13,000	Simple Asphyxiant*	2.4	ND	T,D1	1
Styrene	25	5,100	2.4	ND	D1	0.54
t-1,3-Dichloropropylene	Not Available	10	1.2	ND	D1	0.4
t-2-Butene	2,100	15,000	1.2	0.01	J,D1	0.36

Lab Sample ID	1506014-001					
Compound	Odor AMCV (ppb <sub>v</sub> )	Short-Term Health AMCV (ppb <sub>v</sub> )	SQL (ppb <sub>v</sub> )	Concentrations (ppb <sub>v</sub> )	Flags	SDL (ppb <sub>v</sub> )
t-2-Hexene	140	500	2.4	ND	D1	0.54
t-2-Pentene	Not Available	2,600	2.4	ND	D1	0.54
Tetrachloroethylene	770	1,000	1.2	ND	D1	0.48
Toluene	920	4,000	1.2	0.09	J,D1	0.54
Trichloroethylene	3,900	100	1.2	ND	D1	0.58
Trichlorofluoromethane	5,000	10,000	1.2	0.27	J,D1	0.58
Vinyl Chloride	Not Available	26,000	1.2	ND	D1	0.34

\*A simple asphyxiant displaces air, lowering the partial pressure of oxygen and causing hypoxia at sufficiently high concentrations.

ppbv - Parts per billion by volume.

ND - Not detected.

NQ - Concentration can not be quantified due to possible interferences or coelutions.

SDL - Sample Detection Limit (Limit of Detection adjusted for dilution).

SQL – Sample Quantitation Limit (Limit of Quantitation adjusted for dilution).

INV - Invalid.

J - Reported concentration is below SDL.

L - Reported concentration is at or above the SDL and is below the lower limit of quantitation.

E - Reported concentration exceeds the upper limit of instrument calibration.

M - Result modified from previous result.

T - Data was not confirmed by a confirmational analysis. Data is tentatively identified.

F - Established acceptance criteria were not met due to factors outside the laboratory's control.

H – Not all associated hold time specifications were met. Data may be biased.

C - Sample received with a missing or broken custody seal.

R - Sample received with a missing or incomplete chain of custody.

I - Sample received without a legible unique identifier.

G - Sample received in an improper container.

U - Sample received with insufficient sample volume.

W - Sample received with insufficient preservation.

D1 - Sample concentration was calculated using a dilution factor of 4.

**Table 2. TCEQ Long-Term Air Monitoring Comparison Values (AMCVs)**

**Please Note:** The long-term AMCVs are provided for informational purposes only because it is scientifically inappropriate to compare short-term monitored values to the long-term AMCV.

Compound	Long-Term Health AMCV (ppb <sub>v</sub> )	Compound	Long-Term Health AMCV (ppb <sub>v</sub> )
1,1,1-Trichloroethane	940	Cyclopentane	120
1,1,2,2-Tetrachloroethane	1	Cyclopentene	290
1,1,2-Trichloroethane	10	Dichlorodifluoromethane	1,000
1,1-Dichloroethane	100	Ethane	Simple Asphyxiant*
1,1-Dichloroethylene	86	Ethylbenzene	450
1,2,3-Trimethylbenzene	25	Ethylene**	5,300
1,2,4-Trimethylbenzene	25	Isobutane	2,400
1,2-Dibromoethane	0.05	Isopentane (2-methylbutane)	8,000
1,2-Dichloroethane	1	Isoprene	2
1,2-Dichloropropane	10	Isopropylbenzene (cumene)	50
1,3,5-Trimethylbenzene	25	m & p-Xylene (as mixed isomers)	140
1,3-Butadiene	9.1	m-Diethylbenzene	46
1-Butene	2,300	Methyl Chloride (chloromethane)	50
1-Pentene	Not Available	Methylcyclohexane	400
2,2,4-Trimethylpentane	75	Methylcyclopentane	75
2,2-Dimethylbutane (Neohexane)	100	Methylene Chloride (dichloromethane)	100
2,3,4-Trimethylpentane	75	m-Ethyltoluene	25
2,3-Dimethylbutane	99	n-Butane	2,400
2,3-Dimethylpentane	85	n-Decane	175
2,4-Dimethylpentane	85	n-Heptane	85
2-Chloropentane (as chloroethane)	24	n-Hexane	190
2-Methyl-1-Pentene +1-Hexene	50	n-Nonane	200

Compound	Long-Term Health AMCV (ppb <sub>v</sub> )	Compound	Long-Term Health AMCV (ppb <sub>v</sub> )
2-Methyl-2-Butene	Not Available	n-Octane	75
2-Methylheptane	75	n-Pentane	8,000
2-Methylhexane	75	n-Propylbenzene	50
2-Methylpentane (Isohexane)	85	n-Undecane	55
3-Methyl-1-Butene	800	o-Ethyltoluene	25
3-Methylheptane	75	o-Xylene	140
3-Methylhexane	75	p-Diethylbenzene	46
3-Methylpentane	100	p-Ethyltoluene	25
4-Methyl-1-Pentene (as hexene)	50	Propane	Simple Asphyxiant*
Acetylene	2,500	Propylene	Simple Asphyxiant*
Benzene	1.4	Styrene	110
Bromomethane (methyl bromide)	3	t-1,3-Dichloropropylene	1
c-1,3-Dichloropropylene	1	t-2-Butene	690
c-2-Butene	690	t-2-Hexene	50
c-2-Hexene	50	t-2-Pentene	Not Available
c-2-Pentene	Not Available	Tetrachloroethylene***	3.8
Carbon Tetrachloride	2	Toluene	1,100
Chlorobenzene (phenyl chloride)	10	Trichloroethylene	10
Chloroform (trichloromethane)	2	Trichlorofluoromethane	1,000
Cyclohexane	100	Vinyl Chloride	0.45

\*A simple asphyxiant displaces air, lowering the partial pressure of oxygen and causing hypoxia at sufficiently high concentrations.

\*\*Long-term vegetation AMCV for Ethylene is 30 ppb.

\*\*\*Long-term vegetation AMCV for Tetrachloroethylene is 12 ppb.